

PCH-RGSA-013/1/2021/622671/2025
Government of Himachal Pradesh,
Department of Panchayati Raj.

From: Director, Panchayati Raj,
Himachal Pradesh.

To All the District Panchayat Officer,
Himachal Pradesh.

Shimla-09, dated 23-05-2025

Subject : Installation of Video Conference (VC) facility in Gram Panchayats.

Madam/Sir,

On the subject cited above it is informed that Ministry of Panchayati Raj (MoPR), Government of India (GoI), has approved funds in the Annual Action Plan for the Financial Year 2024-2025 to provide Video Conference (VC) facilities in Gram Panchayats. The VC systems are being procured through the Himachal Pradesh State Electronics Development Corporation (HPSEDC). The names of the Gram Panchayats where the VC systems are to be installed in the first phase have already been obtained from your office(s). A list of Gram Panchayats approved by the department in which HPSEDC will install the VC systems is attached herewith.

HPSEDC has been informed to contact the Office of the District Panchayat Officers of the concerned districts at least two (02) days in advance before the installation of VC systems in the Gram Panchayats. Therefore, you are directed to depute a professional or technical person from your office to ensure that the VC system meets the specifications approved by the Technical Committee of the Panchayati Raj Department. The approved specifications are enclosed as **Annexure-I** for your information and necessary action.

In addition to above a copy of the approved specifications be provided to the concerned Gram Panchayats. The Gram Panchayats must retain an original copy of the receipt of installation of the VC system in their records and a duly attested copy should be retained in your office. It is important to note that as per the approval from the MoPR, GoI, an expenditure of Rs. 1.50 lakh per unit from the RGSA grant has been sanctioned for providing VC facilities in Gram Panchayats. Therefore, due care must be taken during the installation process. It must be ensured that the VC systems be installed only in the Gram Panchayats listed in the attached document.

This may be treated as most urgent.

Encl. As above

Yours faithfully,

Signed by
Niraj Chandla

Date: 23-05-2025 18:10:24

(Niraj Chandla), HAS,
Additional Director(Panchayati Raj Deptt.)-cum-
Nodal Officer(RGSA), Himachal Pradesh.

Endst. No.As above-

23-05-2025

Copy for information and necessary action is forwarded to:

1. All the Chief Executive Officer(ZP), Himachal Pradesh.
2. The Managing Director, HPSEDC, IT Bhawan, 1st Floor, Mehli, Shimla-171009.

Endst No - 3399-4003
Copy forwarded to: dated 24/05/2025
All the Block Development Officer Distt Hamirpur to for information
& further n/a please.

digitally signed-

Additional Director(Panchayati Raj Deptt.)-cum-

जिला पंचायत अधिकारी
हमीरपुर, जिला हमीरपुर (हि०प्र०)

Hamirpur			
Name of Block	Name of Gram Panchayats	Name of Panchayat Secretary	Contact Number Of Panchayat Secretary
Bamson	1. Panjot	Ajay Rana	9418132592
	2. Lag Kadhiyar	Rohit kumar	9818050865
	3. Sikander	Balbir Singh	8016373864
	4. Tapre	Ajay kumar	9625019880
	5. Narsi	Vaneet kumar	9805215131
	6. Purli	Arun Dutt	8219212981
	7. Jandru	Mohit Kumar	7973746413
	8. Samirpur	Chuni lal	9418951412
	9. Chamner	Satish Kummar	9418001669
	10. Lambloo	Satish Kummar	9418001669
	11. Badhani	Ajay kumar	9418663286
	12. Baloh.	Raj Kumar	9418228820
Bhoranj	1. Tal	Savi Kumari	85806-53009
	2. Nandhan	Hem Raj	82197-89342
	3. Amroh	Rajni Sharma	88940-55840
	4. Bhukker	Rajni Sharma	88940-55840
	5. Kharwar	Ravi Kumar	82198-07126
	6. Dhired	Pammi Kumar	98053-62685
	7. Garsaheer	Kamla Devi	82198-47063
	8. Kakker	Sheela Devi	62304-60774
	9. Sahnwin	Ankita	9882222168
	10. Pandwin	Vinod Kumar	98828-58003
	11. Tikker-Didwin	Sandeep Kumar	94598-72346
	12. Bhounkher.	Gaurav Kumar	78072-66399
Bijhari	1. Bara Gran	Dinesh Kumar	8219191110
	2. MorsuSultani	Gaurav Banyal	9418547417
	3. Sour	Rajeev Kumar	941800105
	4. Barsar	Arvind Kumar	9418419655
	5. Bhakredi	Ramesh Chand	9418418829
	6. Bijhari	Narender Sharma	8219745057
	7. Garli	Sandeep Kumar	9418162861
	8. Kalauhan	Kusum Kumari	9857389690
	9. Bani	Madan LAI	9418296925
	10. TikkerRajputan	Nisha	8628039593
	11. Jyoli-Devi	Dinesh Kumar	8219723198
	12. Sohari.	Saroj Kumari	9418975293
Sujanpur	1. Chabuttra	Mohinder Singh	9857612260
	2. Ree	Kamal Kant	9015477335
	3. Banal	Rajni Kumari	8219802354
	4. Darla	Om Prakash	7018597065
	5. Patlander	Jayoti Prakash	8219063927
	6. Jangal	Om Prakash	7018597065
	7. Bairi	Pawan Chauhan	9816580637
	8. Khairi	Ashwani Kumar	7018313738
	9. Jol	Ashwani Kumar	7018313738
	10. Lambari	Pawan Kumar	7018568291

	11. Chamiyana	Rita Chandel	7018559228
	12. Dera.	Rita Chandel	7018559228
Hamirpur	1. Amroh	Manohar Lal	8988130060
	2. Brahlari	Bindu Bala	7018796209
	3. Changer	Vijay Kumar	9418638418
	4. Dei Ka Noun	Ashwani Kumar	9418897421
	5. Dhaned	Sonika Sharma	9418853925
	6. JangalRopa	Lata Devi	9459922235
	7. Laleen	Baby Rani	7018904067
	8. MajhogSultani	Krishan Chand	9459219124
	9. Nalti	Vijay Kumar	9418638418
	10. Nara	Raj Kumar	7876825902
	11. Ropa	Indu Bala	8988421850
	12. SerBalouni.	Ravinder Thakur	9459927187
Nadaun	1. Kaloor	SATISH PAL KAUSHAL	9459318009
	2. Manjhiar	REENA DEVI	9418996962
	3. Amlehar	RAJESH KUMAR	7018618411
	4. Kitpal	KALPNA	9816375689
	5. Karour	RAVINDER KUMAR	7807262343
	6. Jalari	JAGDISH CHAND	9817052455
	7. Kohla	NARESH KUMAR	8628804979
	8. Ghallon	SURINDER SINGH	8219542116
	9. Kamlah	SUNIL KUMAR	9816800236
	10. Basaral	SHIV RAJ	9817483210
	11. Dhaneta	SATISH PAL KAUSHAL	9459318009
	12. Uttap.	RAKESH KUMAR	9816592998

**Sr.
No**

Item Description

1. Camera
Make: People link
Model: PeopleLink Elite XL Series 20x Camera

S. No	Parameter	Specifications
1	Sensor	The camera sensor should be 1/2.8-inch-high quality 2MP HD CMOS sensor or better.
2	White Balance	The camera should have an Option of Auto or Manual White Balance
3	Gain	The camera should have an auto Gain Control
4	Back Light Compensation	The camera should have a selectable Back-light compensation
5	Noise Reduction	2D & 3D or better
6	S/N ratio	The camera should have a S/N Ratio of >55db.
7	Zoom	The camera should have a 20x optical zoom and 16xdigital zoom or better
8	AI Feature	The camera should have AI feature like Group Framing, Humonoid Tracking
9	Interface	The camera should have a standard Video Output and should support HDMI/DVI and 3G-SDI Ports so that Camera can be integrated with standard End Points. Apart from that, it should have native USB 3.0 support along with HDMI/DVI support so that it can also be connected with Software based VC Solution.
10	RJ-45	It should have at least 1 RJ-45 Port for IP Camera functions.
11	Signal Support	The camera should support 1080p@60fps
12	Control Port	The camera should have an RS 232 in and out port for Communication
13	Presets	The camera should have at least 250 Position Presets
14	Field Of View	The camera should have 60.7 Degree or better field of view
15	Pan Range	The camera should have a Pan Resolution Angle of -170 degrees to +170 Degrees or better

16	Tilt Range	The camera should have a Tilt Rotation Angle of -30 degrees to + 90 degrees or better
17	Accessory	The camera should be supplied with IR remote control as an included accessory.
18	AI Feature	The camera should have AI feature like Group Framing, Humonoid Tracking and Target Tracking
19	Certifications	It should have BIS, CE, FCC, RoHS & CB/UL.
20	OEM Factory	OEM should have Manufacturing Unit/ Factory in India factory should be registered under Factory Registration act of India.
21	OEM Certifications	The OEM must have valid ISO 9001:2015, ISO 45001:2018, ISO 27001:2013 and ISO 14001:2015 Certified Company.

2. Screen

Make: Samsung
Model: BE55-D

S. No	Parameter	Specification
1.	Diagonal Size	55" or higher
2.	Panel Type	E-LED BLU
3.	Resolution	3840*2160 (4K UHD)
4.	Native Contrast	4700:1 or higher
5.	Brightness	300 Nits or Higher
6.	Haze	2% or more
7.	Viewing Angle(H/V)	178:178
8.	Response Time	8ms
9.	Display Color	16.7M
10.	Audio	Built in Speaker(10W+10W)
11.	Input Type	HDMI x 3
		HDCP 1.4/2.2
		USB (1), RF Port-1
12.	Duty Cycle	16/7
13.	Features	Adaptive Sound. Mobile to TV Mirroring. Sound Mirroring. Wireless TV On. Remote Access. Wired TV On-WOL. WiFi Direct. TV Sound to Mobile. Sound Mirroring. Signage App (Android/iOS). On/Off Timer. Autorun Signage (App auto launch). App pre installation. OTN On/Off.
14.	Safety Features	1.Panel button lock. USB port lock. Mobile Connection Menu Lock
		2.Display should not have any OTT applications like Netflix/Amazon etc installed
		3.OS Installed in display must be safe and must not be prone to hacking
15.	User Convenience	Display/ Laptop present can be accessed remotely through display (Remote desktop protocol)
		2. Mobile application (Android /iOS) from same display OEM for content management and running signage over display
		Example: While display is On, user can manage and run content through its own mobile without any technology complications.
16.	File Support	Direct Viewing of images and video from pen drive.
17.	External Control	RI45, WiFi 5, Bluetooth supported

18.	Power Consumption	85 W/H OR LESS
19.	Standby Mode Power	Less than 0.5 W
20.	Operating Temperature	0-40 Degree
21.	Humidity	10% - 80.0 %
22.	Safety	CE, UL & BIS EMC, Class B
23.	Warranty	3 years onsite
24.	Certification	ISO 90001-ISO 140001

3. MIC (Speaker Phone)

Make: People link

Model: PeopleLink Quad Speakerphone 12

S.No	Specifications
1	All-in-one Wired and Wireless (Bluetooth) Speakerphone with 12 Inbuilt Microphone array or better
2	48K sampling rate and 500ms echo length cancellation or better
3	Built with 12 internal array microphones, the best coverage is 6m with 360 Degree Pickup or better
4	Built-in rechargeable battery: 5200mA, talk time 16 hours and standby time 90 days
5	Acoustic Echo Cancellation, Acoustic Noise suppression and Automatic Gain Control (AGC) or better
6	Controls: Microphone Mute and Unmute, Speaker Volume Mute, UP and Down, Bluetooth on/Off, Echo Cancellation on/off with LCD Display to show the status
7	Built in Bluetooth 5.0 or better
8	The speakerphone should be able to simultaneously merge the video conferencing call (connected to the PC through USB) and the mobile call (connected through Bluetooth/3.5mm Jack).
9	The device should be powered by USB (Type-B); no external power source is required to activate the device.
10	The device should be supplied with 2 external microphones with pickup of 2 meter connected through an RJ9 cable
11	3.5mm jack support for mobile phone calls
12	Certifications: BIS(Indian), CE, FCC, ROHS